



# Health and Wellbeing Profiles 2010

## Spine Pack: Scottish Borders



# Scottish Borders CHCP



	page		page
1. Newcastleton and Teviot area	4	16. Langlee	19
2. Hawick West End	5	17. Galashiels West	20
3. Hawick Central	6	18. Galashiels North	21
4. Hawick North	7	19. Innerleithen and Walkerburn area	22
5. Cheviot West	8	20. West Linton and Broughton area	23
6. Burnfoot and area	9	21. Peebles South	24
7. Jedburgh	10	22. Peebles North	25
8. Ettrick, Yarrow and Yair	11	23. Coldstream and area	26
9. Cheviot East	12	24. Earlston, Lauder and Stow area	27
10. Selkirk	13	25. Berwickshire West	28
11. St Boswells and Newtown area	14	26. Duns	29
12. Kelso South	15	27. Berwickshire Central	30
13. Melrose and Tweedbank area	16	28. Berwickshire East	31
14. Kelso North	17	29. Eyemouth	32
15. Galashiels South	18		

# Scottish Borders CHCP Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all CHP/CHCPs.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	3,684	606.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	207	46.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	488	111.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	65	14.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	700	19.0	%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a	22.0	%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	3,704	962	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	216	28.8	sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	149	60.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a	17.0	%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a	78.0	%	73.0			
	14 Patients registered with cancer <sup>1</sup>	3,270	402.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	661	116.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	1,827	353.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	911	160.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	1,149	309.5	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	26,836	6,948.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	3,259	4,535.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	350	109.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	877	1,060.5	sr	710.4			
	23 Prevalence of diabetes	5,125	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	10,955	9.4	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	1,299	356.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	76	14.6	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	1,111	4.9	%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	3,765	4.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	306	28.9	%	31.7			
	30 Households assessed as homeless <sup>3</sup>	790	1.5	%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	193	8	cr2	14			
	32 Single adult dwellings	19,620	35.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a	9.6	%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	183.1	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	92.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a	11.9	%	14.8			
	38 Population income deprived	12,710	11.4	%	15.1			
	39 Working age population employment deprived	5,535	8.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	2,135	3.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	11,440	45.0	%	46.6			
	42 People claiming pension credits (aged 60+)	2,790	9.0	%	11.0			
Crime	43 Crime rate	3,255	29.2	cr2	49.5			
	44 Prisoner population	78	131.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	63	6.1	cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	298	114.2	sr	95.2			
	47 Population within 500 metres of derelict site	49,913	44.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	34,458	30.9	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a	62.0	%	52.0			
	50 Breast screening uptake <sup>2</sup>	12,241	80.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	751	24.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	182	29.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>	77	2.6	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	956	31.3	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	3,090	92.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	3,256	97.4	%	97.5			
	57 Child dental health in primary 1	731	73.3	%	61.8			
	58 Child obesity in primary 1	n/a	7.7	%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	185	356.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Newcastleton and Teviot area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	129	569.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	13	68.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	93.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	82	564	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		22.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	109	373.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	12	55.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	52	257.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	19	88.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	18	124.5	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	630	4,499.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	66	2,789.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	83.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	22	952.4	sr	710.4			
	23 Prevalence of diabetes	164	2.7	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	409	10.2	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	34	255.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	110	3.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	522	27.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	183.7	mean	179.7			
	35 Primary school attendance	n/a	96.3	%	95.2			
	36 Secondary school attendance	n/a	92.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	340	8.8	%	15.1			
	39 Working age population employment deprived	145	6.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	20	0.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	350	44.6	%	46.6			
	42 People claiming pension credits (aged 60+)	75	6.2	%	11.0			
Crime	43 Crime rate	47	12.2	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		52.4	sr	95.2			
	47 Population within 500 metres of derelict site	93	2.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,505	64.8	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	511	79.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	26	32.5	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	81	91.0	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	87	97.8	%	97.5			
	57 Child dental health in primary 1	22	73.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		135.3	sr	377.5			

## Notes:

- Five-year combined number, and 5-year average annual measure.
- Three-year combined number, and 3-year average annual measure.
- Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Hawick West End Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	171	717.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	77.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	114.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		46.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	119	903	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		42.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	116	409.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	19	85.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	70	391.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	116.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	23	178.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	796	6,177.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	129	4,279.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		52.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	47	1,385.9	sr	710.4			
	23 Prevalence of diabetes	165	2.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	325	10.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	41	388.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		34.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	140	5.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	713	41.2	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	180.7	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	92.0	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	460	14.4	%	15.1			
	39 Working age population employment deprived	205	11.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	65	3.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	285	49.1	%	46.6			
	42 People claiming pension credits (aged 60+)	160	14.4	%	11.0			
Crime	43 Crime rate	97	30.3	cr2	49.5			
	44 Prisoner population		103.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	136.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,502	79.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	360	81.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	28	43.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	11	17.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	83	95.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	86	98.9	%	97.5			
	57 Child dental health in primary 1	20	80.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		509.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Hawick Central Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	142	755.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	12	72.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	21	154.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		30.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	159	1,292	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		94.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	134	443.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	19	94.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	70	402.4	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	28	153.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	34	333.8	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	907	7,171.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	106	4,493.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	88.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	33	1,124.5	sr	710.4			
	23 Prevalence of diabetes	186	3.4	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	398	10.5	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	60	493.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	180	5.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	994	43.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	152.8	mean	179.7			
	35 Primary school attendance	n/a	96.0	%	95.2			
	36 Secondary school attendance	n/a	91.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	470	13.0	%	15.1			
	39 Working age population employment deprived	255	11.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	5.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	315	51.6	%	46.6			
	42 People claiming pension credits (aged 60+)	130	12.1	%	11.0			
Crime	43 Crime rate	243	67.4	cr2	49.5			
	44 Prisoner population		307.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	17	172.8	sr	95.2			
	47 Population within 500 metres of derelict site	3,583	101.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	457	81.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	35	29.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	18.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	74	90.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	78	95.1	%	97.5			
	57 Child dental health in primary 1	14	73.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		429.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Hawick North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	130	696.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		52.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	130.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		10.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	131	1,188	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		78.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	124	476.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	29	168.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	72	446.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	166.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	37	361.3	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	869	7,620.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	114	5,002.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		89.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	695.2	sr	710.4			
	23 Prevalence of diabetes	177	3.5	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	375	10.5	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	321.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.7	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	160	5.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	732	41.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	155.3	mean	179.7			
	35 Primary school attendance	n/a	96.9	%	95.2			
	36 Secondary school attendance	n/a	92.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	465	13.9	%	15.1			
	39 Working age population employment deprived	220	11.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	5.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	425	57.3	%	46.6			
	42 People claiming pension credits (aged 60+)	110	11.1	%	11.0			
Crime	43 Crime rate	145	43.3	cr2	49.5			
	44 Prisoner population		180.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	170.7	sr	95.2			
	47 Population within 500 metres of derelict site	2,916	87.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	413	82.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	23	29.9	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	65.5	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	16.3	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	99	96.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	102	99.0	%	97.5			
	57 Child dental health in primary 1	21	55.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		180.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cheviot West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.3	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	83.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	82	511.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		16.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	118.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	58	547	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	71	355.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>		51.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	37	265.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	23	152.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	16	149.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	498	5,129.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	53	2,917.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		97.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	25	1,091.0	sr	710.4			
	23 Prevalence of diabetes	107	2.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	258	9.3	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	16	127.9	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		4.5	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	60	2.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	344	25.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	188.1	mean	179.7			
	35 Primary school attendance	n/a	96.6	%	95.2			
	36 Secondary school attendance	n/a	94.3	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	235	8.4	%	15.1			
	39 Working age population employment deprived	80	4.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	30	1.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	245	39.0	%	46.6			
	42 People claiming pension credits (aged 60+)	50	5.9	%	11.0			
Crime	43 Crime rate	0	0.0	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		90.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site		0.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,791	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	360	82.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	28.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	53	89.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	55	93.2	%	97.5			
	57 Child dental health in primary 1	19	95.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		280.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.




# Burnfoot and area Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	78.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	106	773.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	10	75.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	13	111.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		20.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	179	1,703	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	16	196.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	72	338.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	38	277.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	63	505.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	229.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	47	417.3	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,039	9,367.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	101	6,410.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	124.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	19	1,064.0	sr	710.4			
	23 Prevalence of diabetes	187	4.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	427	10.4	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	49	556.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		10.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	245	9.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	682	39.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	121.9	mean	179.7			
	35 Primary school attendance	n/a	94.3	%	95.2			
	36 Secondary school attendance	n/a	87.2	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	1,015	27.3	%	15.1			
	39 Working age population employment deprived	370	17.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	5.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	870	77.2	%	46.6			
	42 People claiming pension credits (aged 60+)	100	13.3	%	11.0			
Crime	43 Crime rate	212	57.1	cr2	49.5			
	44 Prisoner population		347.8	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	23	235.6	sr	95.2			
Environment	47 Population within 500 metres of derelict site	3,470	96.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	356	73.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	65	48.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	39.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	20.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	142	88.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	152	94.4	%	97.5			
	57 Child dental health in primary 1	29	61.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	13	551.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Jedburgh Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	136	610.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		30.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	100.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		34.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	137	961	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		71.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	106	347.6	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	22	113.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	65	345.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	31	154.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	41	309.6	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	965	6,840.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	123	4,692.7	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	92.8	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	53	1,691.3	sr	710.4			
	23 Prevalence of diabetes	178	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	361	9.0	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	47	318.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		20.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	135	4.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	793	40.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	170.4	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	93.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	560	14.3	%	15.1			
	39 Working age population employment deprived	200	8.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	475	52.4	%	46.6			
	42 People claiming pension credits (aged 60+)	130	11.6	%	11.0			
Crime	43 Crime rate	160	41.0	cr2	49.5			
	44 Prisoner population		64.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	123.3	sr	95.2			
	47 Population within 500 metres of derelict site	2,120	53.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	438	79.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	33	34.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	16	15.7	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	96	91.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	104	99.0	%	97.5			
	57 Child dental health in primary 1	19	70.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		446.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Ettrick, Yarrow and Yair Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	88.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	74	493.2	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		31.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	18	111.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		7.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	103	928	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		14.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	107	414.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	19	119.7	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	362.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	20	134.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	35	319.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	827	7,357.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	106	5,914.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	127.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	20	1,125.4	sr	710.4			
	23 Prevalence of diabetes	139	2.8	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	392	10.5	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	24	244.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		6.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	65	2.2	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	399	23.4	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	205.2	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	93.7	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	255	6.9	%	15.1			
	39 Working age population employment deprived	100	4.6	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	325	38.1	%	46.6			
	42 People claiming pension credits (aged 60+)	35	3.5	%	11.0			
Crime	43 Crime rate	25	6.8	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	217.7	sr	95.2			
Environment	47 Population within 500 metres of derelict site	179	4.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,692	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	483	79.4	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	16.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	40	43.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	89	93.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	91	95.8	%	97.5			
	57 Child dental health in primary 1	30	90.9	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	640.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Cheviot East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.8	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	132	606.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		33.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	102.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		18.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	101	685	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		53.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	116	395.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	18	98.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	55	278.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	27	129.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	32	234.5	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	818	5,794.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	110	4,249.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	22	221.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	26	927.9	sr	710.4			
	23 Prevalence of diabetes	193	2.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	413	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	30	192.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		4.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	2.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	550	27.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	212.5	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	94.2	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	315	8.2	%	15.1			
	39 Working age population employment deprived	130	5.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	55	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	340	39.6	%	46.6			
	42 People claiming pension credits (aged 60+)	60	5.0	%	11.0			
Crime	43 Crime rate	49	12.8	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		16.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	17	0.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,826	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	496	84.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	11	14.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	0	0.0	cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	36.8	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	102	90.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	110	97.3	%	97.5			
	57 Child dental health in primary 1	19	70.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		532.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Selkirk Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	220	660.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	15	68.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	26	117.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		8.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	212	1,143	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		70.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	183	425.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	52	190.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	107	447.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	65	226.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	88	468.8	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,627	8,587.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	202	5,077.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	72.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	58	1,330.6	sr	710.4			
	23 Prevalence of diabetes	263	3.4	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	642	10.9	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	76	408.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		4.8	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	220	4.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,148	40.4	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	178.7	mean	179.7			
	35 Primary school attendance	n/a	96.5	%	95.2			
	36 Secondary school attendance	n/a	94.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	700	12.5	%	15.1			
	39 Working age population employment deprived	330	10.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	125	3.9	%	4.4			
	41 Dependence on out of work benefits or child tax credit	625	49.8	%	46.6			
	42 People claiming pension credits (aged 60+)	160	10.2	%	11.0			
Crime	43 Crime rate	185	33.0	cr2	49.5			
	44 Prisoner population		281.3	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	14	108.7	sr	95.2			
	47 Population within 500 metres of derelict site	5,290	96.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	636	79.1	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	54	31.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	46.1	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	34	20.6	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	160	95.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	167	100.0	%	97.5			
	57 Child dental health in primary 1	24	63.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	407.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# St Boswells and Newtown area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	135	558.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>	11	61.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	101.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		4.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	129	788	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		22.9	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	114	361.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	114.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	73	343.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	165.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	43	285.5	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,041	6,969.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	112	4,104.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	12	110.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	33	1,077.0	sr	710.4			
	23 Prevalence of diabetes	184	2.9	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	394	9.1	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	39	250.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		14.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	115	3.1	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	745	34.2	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	197.8	mean	179.7			
	35 Primary school attendance	n/a	96.4	%	95.2			
	36 Secondary school attendance	n/a	93.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	395	8.9	%	15.1			
	39 Working age population employment deprived	180	6.8	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	2.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	400	41.8	%	46.6			
	42 People claiming pension credits (aged 60+)	85	6.9	%	11.0			
Crime	43 Crime rate	49	11.1	cr2	49.5			
	44 Prisoner population		228.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		58.7	sr	95.2			
	47 Population within 500 metres of derelict site	1,265	28.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,002	45.3	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	427	83.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	21	18.1	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	52.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	42	33.1	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	116	87.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	128	97.0	%	97.5			
	57 Child dental health in primary 1	24	77.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		289.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Kelso South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	140	659.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		62.0	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	113.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	117	1,130	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		104.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	100	399.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	21	85.4	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	57	339.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	110.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	33	348.1	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	762	6,805.9	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	120	4,207.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		119.0	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	38	1,049.4	sr	710.4			
	23 Prevalence of diabetes	160	3.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	292	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	58	572.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		32.1	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	3.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	654	41.7	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	200.2	mean	179.7			
	35 Primary school attendance	n/a	96.4	%	95.2			
	36 Secondary school attendance	n/a	94.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	325	11.5	%	15.1			
Economy	39 Working age population employment deprived	135	8.5	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	2.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	230	44.3	%	46.6			
	42 People claiming pension credits (aged 60+)	95	9.6	%	11.0			
	43 Crime rate	119	42.2	cr2	49.5			
	44 Prisoner population		34.5	sr	205.5			
Crime	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	11	177.3	sr	95.2			
Environment	47 Population within 500 metres of derelict site	862	30.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	342	87.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	18	31.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	32.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	54	91.5	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	57	96.6	%	97.5			
	57 Child dental health in primary 1	18	78.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		218.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Melrose and Tweedbank area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	77.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	83.1	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	151	560.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		19.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	83.5	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		26.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	157	930	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		57.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	127	401.1	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	101.1	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	76	351.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	177.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	60	396.6	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,312	7,745.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	171	5,514.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	17	115.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	45	1,342.1	sr	710.4			
	23 Prevalence of diabetes	221	3.2	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	519	9.8	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	68	395.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		7.9	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	195	4.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	833	34.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	222.6	mean	179.7			
	35 Primary school attendance	n/a	96.4	%	95.2			
	36 Secondary school attendance	n/a	94.0	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	445	9.5	%	15.1			
	39 Working age population employment deprived	250	9.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	60	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	440	36.7	%	46.6			
	42 People claiming pension credits (aged 60+)	85	6.4	%	11.0			
Crime	43 Crime rate	53	11.3	cr2	49.5			
	44 Prisoner population		96.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		90.6	sr	95.2			
	47 Population within 500 metres of derelict site	945	18.9	%	30.0			
	48 People living in 15% most 'access deprived' areas	933	19.8	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	321	75.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	23	16.7	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	40	28.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	148	94.9	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	155	99.4	%	97.5			
	57 Child dental health in primary 1	38	79.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	419.8	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Kelso North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.8	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	107	595.6	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		63.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	112.2	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			△
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	113	1,018	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		13.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	96	392.0	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	135.3	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	85	499.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	111.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	43	324.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	837	6,950.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	124	5,058.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	14	151.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	27	1,083.9	sr	710.4			
	23 Prevalence of diabetes	195	3.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	352	10.1	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	47	441.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		24.3	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	105	3.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	612	38.3	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	182.2	mean	179.7			
	35 Primary school attendance	n/a	96.2	%	95.2			
	36 Secondary school attendance	n/a	94.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	370	10.9	%	15.1			
	39 Working age population employment deprived	150	7.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	395	49.1	%	46.6			
	42 People claiming pension credits (aged 60+)	100	10.3	%	11.0			
Crime	43 Crime rate	91	26.8	cr2	49.5			
	44 Prisoner population		99.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	13	167.1	sr	95.2			
Environment	47 Population within 500 metres of derelict site	0	0.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	381	85.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	36	34.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	31.3	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	109	97.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	111	99.1	%	97.5			
	57 Child dental health in primary 1	30	85.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		303.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Galashiels South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	75.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.9	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	138	691.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		76.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	154.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		8.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	143	1,312	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		54.6	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	137	489.3	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	24	155.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	68	414.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	155.4	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	41	368.7	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	907	7,915.2	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	114	4,691.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	91.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	37	1,061.6	sr	710.4			
	23 Prevalence of diabetes	155	3.5	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	344	10.6	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	54	486.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		62.6	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	110	4.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	607	40.3	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	196.7	mean	179.7			
	35 Primary school attendance	n/a	96.0	%	95.2			
	36 Secondary school attendance	n/a	93.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	355	10.9	%	15.1			
	39 Working age population employment deprived	155	8.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	70	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	215	29.2	%	46.6			
	42 People claiming pension credits (aged 60+)	90	9.4	%	11.0			
Crime	43 Crime rate	112	34.5	cr2	49.5			
	44 Prisoner population		268.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	17	220.0	sr	95.2			
	47 Population within 500 metres of derelict site	2,758	85.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	349	81.7	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	20	23.8	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	18.5	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	68	93.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	72	98.6	%	97.5			
	57 Child dental health in primary 1	21	77.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		599.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Langlee Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	71.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	76	771.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		67.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	14	160.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		9.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	161	1,978	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	18	236.5	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	63	425.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	19	204.0	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	54	601.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	201.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	53	683.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	862	10,626.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	69	6,238.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	135.7	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	14	904.6	sr	710.4			
	23 Prevalence of diabetes	155	5.1	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	331	10.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	438.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		62.6	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	155	7.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	663	47.6	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	122.5	mean	179.7			
	35 Primary school attendance	n/a	94.0	%	95.2			
	36 Secondary school attendance	n/a	88.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	675	26.4	%	15.1			
	39 Working age population employment deprived	290	17.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	145	8.8	%	4.4			
	41 Dependence on out of work benefits or child tax credit	495	76.7	%	46.6			
	42 People claiming pension credits (aged 60+)	85	15.5	%	11.0			
Crime	43 Crime rate	211	82.6	cr2	49.5			
	44 Prisoner population		319.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	25	327.2	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,347	88.5	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	244	72.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	40	41.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	13	83.3	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	18	16.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	101	94.4	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	104	97.2	%	97.5			
	57 Child dental health in primary 1	17	56.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		420.5	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Galashiels West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	74.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	135	897.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		72.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	11	123.7	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		59.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	144	1,469	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	11	127.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	101	494.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	34	197.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	50	476.7	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	35	219.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	40	409.4	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	961	9,568.4	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	120	7,194.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		80.5	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	27	1,264.4	sr	710.4			
	23 Prevalence of diabetes	112	3.2	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	333	10.6	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	66	648.7	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		12.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	135	5.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	695	42.9	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	153.5	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	91.3	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	410	14.1	%	15.1			
	39 Working age population employment deprived	210	11.4	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	4.5	%	4.4			
	41 Dependence on out of work benefits or child tax credit	310	47.7	%	46.6			
	42 People claiming pension credits (aged 60+)	95	15.0	%	11.0			
Crime	43 Crime rate	254	87.1	cr2	49.5			
	44 Prisoner population		331.7	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	15	181.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,081	71.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	267	79.0	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	31	35.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>	0	0.0	%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	20	29.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	59	92.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	61	95.3	%	97.5			
	57 Child dental health in primary 1	19	82.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	10	797.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Galashiels North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.0	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.4	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	119	718.4	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		41.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	119.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		28.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	137	1,223	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		65.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	88	460.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	17	122.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	50	365.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	22	143.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	31	273.2	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	910	8,055.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	85	5,031.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	105.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	21	985.0	sr	710.4			
	23 Prevalence of diabetes	146	3.5	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	392	10.6	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	54	460.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	130	4.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	746	39.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	176.7	mean	179.7			
	35 Primary school attendance	n/a	95.6	%	95.2			
	36 Secondary school attendance	n/a	91.9	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	365	10.4	%	15.1			
	39 Working age population employment deprived	210	9.2	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	115	5.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	290	38.3	%	46.6			
	42 People claiming pension credits (aged 60+)	75	10.9	%	11.0			
Crime	43 Crime rate	238	68.1	cr2	49.5			
	44 Prisoner population		135.1	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	17	170.0	sr	95.2			
	47 Population within 500 metres of derelict site	3,183	90.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	305	77.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	36	26.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	30.3	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	105	92.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	108	94.7	%	97.5			
	57 Child dental health in primary 1	23	67.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	650.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Innerleithen and Walkerburn area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.7	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	117	429.8	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		20.2	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	11	51.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		21.8	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	159	937	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	13	136.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	146	391.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	28	98.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	88	374.0	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	43	169.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	50	306.6	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,163	6,712.3	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	137	4,088.3	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	16	125.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	35	981.8	sr	710.4			
	23 Prevalence of diabetes	232	3.0	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	468	8.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	45	259.4	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		5.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	125	3.0	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	870	33.8	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	185.0	mean	179.7			
	35 Primary school attendance	n/a	96.6	%	95.2			
	36 Secondary school attendance	n/a	91.8	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	455	9.1	%	15.1			
	39 Working age population employment deprived	195	6.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	460	39.7	%	46.6			
	42 People claiming pension credits (aged 60+)	115	7.9	%	11.0			
Crime	43 Crime rate	94	18.7	cr2	49.5			
	44 Prisoner population		200.5	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	12	138.8	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,440	47.0	%	30.0			
	48 People living in 15% most 'access deprived' areas	1,456	29.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	552	79.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	30	18.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	80	44.9	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	179	96.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	184	98.9	%	97.5			
	57 Child dental health in primary 1	43	71.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	11	419.9	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# West Linton and Broughton area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	79.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	134	593.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		25.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	116.6	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		17.1	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	96	548	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		41.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	130	419.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	18	84.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	64	319.8	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	30	134.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	32	182.2	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	810	4,692.0	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	88	3,681.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		55.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	18	584.8	sr	710.4			
	23 Prevalence of diabetes	177	2.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	425	7.7	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	32	238.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		8.6	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	110	2.6	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	609	27.0	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	219.7	mean	179.7			
	35 Primary school attendance	n/a	96.7	%	95.2			
	36 Secondary school attendance	n/a	93.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	345	6.5	%	15.1			
	39 Working age population employment deprived	160	4.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	35	1.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	395	29.4	%	46.6			
	42 People claiming pension credits (aged 60+)	65	5.7	%	11.0			
Crime	43 Crime rate	44	8.3	cr2	49.5			
	44 Prisoner population		75.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		17.1	sr	95.2			
	47 Population within 500 metres of derelict site	11	0.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,821	72.1	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	538	75.6	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	16	11.2	%	22.6			
	52 Teenage pregnancies <sup>2</sup>	11	35.6	cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	85	54.1	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	175	88.8	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	189	95.9	%	97.5			
	57 Child dental health in primary 1	40	75.5	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		252.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Peebles South Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.6	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	108	493.9	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		39.1	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	19	121.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		4.6	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	108	814	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		24.8	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	97	353.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	31	163.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	51	304.6	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	38	190.0	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	38	339.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	882	6,854.7	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	110	4,282.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	11	127.1	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	24	852.5	sr	710.4			
	23 Prevalence of diabetes	148	2.7	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	252	6.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	26	248.8	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		12.4	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	75	2.5	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	464	28.9	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	188.6	mean	179.7			
	35 Primary school attendance	n/a	97.1	%	95.2			
	36 Secondary school attendance	n/a	92.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	215	5.9	%	15.1			
	39 Working age population employment deprived	100	4.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	2.2	%	4.4			
	41 Dependence on out of work benefits or child tax credit	255	28.9	%	46.6			
	42 People claiming pension credits (aged 60+)	55	4.9	%	11.0			
	43 Crime rate	29	8.0	cr2	49.5			
Crime	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		69.4	sr	95.2			
	47 Population within 500 metres of derelict site	638	17.3	%	30.0			
Environment	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	454	83.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	32	38.1	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	95	93.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	101	99.0	%	97.5			
	57 Child dental health in primary 1	28	84.8	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		223.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Peebles North Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	81.3	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	169	623.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		35.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	142.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		5.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	142	892	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		79.4	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	138	408.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	26	108.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	64	330.5	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	55	211.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	52	346.5	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,232	7,474.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	186	5,955.1	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	13	62.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	43	1,026.8	sr	710.4			
	23 Prevalence of diabetes	197	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	305	6.6	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	72	477.2	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		7.1	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	120	3.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	1,001	44.4	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	196.9	mean	179.7			
	35 Primary school attendance	n/a	97.0	%	95.2			
	36 Secondary school attendance	n/a	92.5	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	510	11.8	%	15.1			
	39 Working age population employment deprived	180	6.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	3.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	380	42.2	%	46.6			
	42 People claiming pension credits (aged 60+)	145	12.4	%	11.0			
Crime	43 Crime rate	164	37.8	cr2	49.5			
	44 Prisoner population		25.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	97.2	sr	95.2			
	47 Population within 500 metres of derelict site	2,964	68.2	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	446	76.2	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	31	22.5	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	55	43.7	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	121	89.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	128	94.8	%	97.5			
	57 Child dental health in primary 1	26	74.3	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		245.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Coldstream and area Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	76.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	111	628.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		58.4	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	128.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		24.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	84	807	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	89	370.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	18	96.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	64	395.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	190.3	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	28	253.4	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	681	6,613.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	97	4,408.0	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		103.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	27	954.7	sr	710.4			
	23 Prevalence of diabetes	146	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	230	8.1	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	31	362.1	sr	303.0			
	26 Deaths from suicide <sup>1</sup>	0	0.0	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	90	3.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	486	34.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	150.9	mean	179.7			
	35 Primary school attendance	n/a	95.9	%	95.2			
	36 Secondary school attendance	n/a	89.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	320	11.5	%	15.1			
	39 Working age population employment deprived	120	7.7	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	55	3.7	%	4.4			
	41 Dependence on out of work benefits or child tax credit	285	54.3	%	46.6			
	42 People claiming pension credits (aged 60+)	80	8.0	%	11.0			
Crime	43 Crime rate	53	19.1	cr2	49.5			
	44 Prisoner population		92.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		59.8	sr	95.2			
	47 Population within 500 metres of derelict site	2,017	72.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	765	27.6	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	359	89.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	14	26.4	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	17	27.9	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	59	92.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	61	95.3	%	97.5			
	57 Child dental health in primary 1	15	71.4	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		63.4	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Earlston, Lauder and Stow area Intermediate Zone Health Summary

This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.



- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.1	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.0	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	192	627.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		37.5	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	36	147.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		7.9	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	200	862	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		14.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	155	357.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	25	79.6	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	75	257.1	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	44	156.6	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	63	272.8	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	1,601	6,979.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	184	5,031.9	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	33	162.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	43	1,073.5	sr	710.4			
	23 Prevalence of diabetes	326	3.5	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	562	7.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	68	301.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		11.9	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	160	2.8	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	921	28.8	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	211.7	mean	179.7			
	35 Primary school attendance	n/a	96.6	%	95.2			
	36 Secondary school attendance	n/a	93.4	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	540	7.6	%	15.1			
	39 Working age population employment deprived	230	5.3	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	85	2.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	630	35.0	%	46.6			
	42 People claiming pension credits (aged 60+)	125	7.8	%	11.0			
Crime	43 Crime rate	74	10.5	cr2	49.5			
	44 Prisoner population		54.4	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		44.0	sr	95.2			
Environment	47 Population within 500 metres of derelict site	2,843	39.4	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,390	48.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	687	76.8	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	43	19.3	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	95	43.4	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	220	91.7	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	235	97.9	%	97.5			
	57 Child dental health in primary 1	57	79.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	15	392.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Berwickshire West Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.9	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	77.5	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	90	555.1	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		33.3	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>		60.3	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	89	752	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		19.1	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	88	395.5	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	14	81.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	53	344.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	26	162.7	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	33	269.2	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	690	5,977.5	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	65	3,375.6	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	19	185.6	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	16	806.9	sr	710.4			
	23 Prevalence of diabetes	155	3.1	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	341	9.8	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	31	264.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		8.1	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	100	3.4	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	418	25.6	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	207.8	mean	179.7			
	35 Primary school attendance	n/a	96.1	%	95.2			
	36 Secondary school attendance	n/a	92.1	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	290	8.1	%	15.1			
	39 Working age population employment deprived	145	6.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	2.1	%	4.4			
	41 Dependence on out of work benefits or child tax credit	350	42.0	%	46.6			
	42 People claiming pension credits (aged 60+)	65	6.9	%	11.0			
Crime	43 Crime rate	61	17.1	cr2	49.5			
	44 Prisoner population		96.9	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		52.3	sr	95.2			
	47 Population within 500 metres of derelict site	22	0.6	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,944	82.4	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	404	82.3	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	12	13.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	39	44.8	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	96	94.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	102	100.0	%	97.5			
	57 Child dental health in primary 1	28	75.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>	0	0.0	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.



# Duns Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	73.4	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	80.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	95	697.3	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		54.6	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	12	120.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		21.5	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	93	1,045	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>	0	0.0	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	106	524.8	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	14	105.8	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	38	340.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	25	167.1	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	28	328.7	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	629	6,949.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	76	4,178.2	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		107.4	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	23	1,167.3	sr	710.4			
	23 Prevalence of diabetes	111	2.9	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	234	8.7	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	36	523.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		38.7	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	115	5.3	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	515	41.0	%	37.8			
Education	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	179.5	mean	179.7			
	35 Primary school attendance	n/a	95.3	%	95.2			
	36 Secondary school attendance	n/a	93.6	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	335	12.9	%	15.1			
	39 Working age population employment deprived	160	10.9	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	45	3.0	%	4.4			
	41 Dependence on out of work benefits or child tax credit	295	50.8	%	46.6			
	42 People claiming pension credits (aged 60+)	80	10.4	%	11.0			
Crime	43 Crime rate	98	37.6	cr2	49.5			
	44 Prisoner population	0	0.0	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		85.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	1,520	58.1	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	269	91.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	27	34.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	15	21.7	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	66	94.3	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	68	97.1	%	97.5			
	57 Child dental health in primary 1	12	70.6	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		81.6	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Berwickshire Central Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	78.6	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	85.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	83	552.5	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		20.9	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	17	113.9	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>	0	0.0	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	82	693	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		14.3	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	94	398.2	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>		43.2	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	53	315.2	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	29	180.8	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	29	301.9	sr	472.9			
	19 Patients hospitalised as an emergency <sup>2</sup>	668	5,989.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	68	3,622.8	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>		106.9	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	17	953.7	sr	710.4			
	23 Prevalence of diabetes	129	2.6	sr2	3.5			
Mental Health	24 Patients prescribed drugs for anxiety/depression/psychosis	295	8.2	%	9.7			
	25 Patients with a psychiatric hospitalisation <sup>2</sup>	21	170.5	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		20.2	sr	15.1			
Social Care & Housing	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	85	2.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	501	28.5	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
Education	34 Average tariff score of all pupils on the S4 roll	n/a	186.3	mean	179.7			
	35 Primary school attendance	n/a	96.0	%	95.2			
	36 Secondary school attendance	n/a	92.9	%	91.1			
	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
Economy	38 Population income deprived	285	8.4	%	15.1			
	39 Working age population employment deprived	140	7.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	30	1.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	300	36.6	%	46.6			
	42 People claiming pension credits (aged 60+)	55	5.8	%	11.0			
Crime	43 Crime rate	25	7.4	cr2	49.5			
	44 Prisoner population		95.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		82.4	sr	95.2			
Environment	47 Population within 500 metres of derelict site	95	2.7	%	30.0			
	48 People living in 15% most 'access deprived' areas	3,388	100.0	%	14.2			
	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
Women's & Children's Health	50 Breast screening uptake <sup>2</sup>	358	87.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>			%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	30	38.5	%	26.4			
	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	101	90.2	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	108	96.4	%	97.5			
	57 Child dental health in primary 1	18	60.0	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		233.1	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Berwickshire East Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	80.2	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	82.7	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	127	404.0	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		38.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	15	69.0	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		8.4	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	138	683	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		18.2	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	150	358.7	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	34	107.5	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	79	299.3	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	39	133.9	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	51	240.6	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	1,113	5,698.6	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	136	3,561.5	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	15	94.3	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	33	759.9	sr	710.4			
	23 Prevalence of diabetes	247	2.9	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	483	8.5	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	303.0	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		5.6	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	180	3.9	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	751	27.7	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	170.0	mean	179.7			
	35 Primary school attendance	n/a	96.0	%	95.2			
	36 Secondary school attendance	n/a	91.7	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	635	11.8	%	15.1			
	39 Working age population employment deprived	245	8.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	110	3.4	%	4.4			
	41 Dependence on out of work benefits or child tax credit	610	48.1	%	46.6			
	42 People claiming pension credits (aged 60+)	150	9.1	%	11.0			
Crime	43 Crime rate	93	17.2	cr2	49.5			
	44 Prisoner population		74.6	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>		40.4	sr	95.2			
	47 Population within 500 metres of derelict site	1,164	20.8	%	30.0			
	48 People living in 15% most 'access deprived' areas	2,945	54.5	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	647	83.5	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	31	25.6	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	31	25.2	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	151	92.1	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	159	97.0	%	97.5			
	57 Child dental health in primary 1	30	66.7	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		290.7	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.


See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.

# Eymouth Intermediate Zone Health Summary



This chart compares the local value for each indicator to the Scottish average and range for all Intermediate Zones.

- Statistically significantly 'worse' than Scottish average
- Statistically not significantly different from Scottish average
- Statistically significantly 'better' than Scottish average
- Statistically significant difference compared to Scottish average
- △ No significance can be calculated



Domain	Indicator	Number	Measure	Type	Scot. Average	'Worst'	Scotland Average	'Best'
Life Expectancy & Mortality	1 Life expectancy - males <sup>1</sup>	n/a	76.5	yrs	74.5			
	2 Life expectancy - females <sup>1</sup>	n/a	79.2	yrs	79.5			
	3 Deaths all ages <sup>2</sup>	135	795.7	sr	707.8			
	4 Early deaths from coronary heart disease (< 75s) <sup>2</sup>		71.7	sr	57.2			
	5 Early deaths from cancer (< 75s) <sup>2</sup>	20	160.8	sr	134.7			
	6 Early deaths from cerebrovascular disease (< 75s) <sup>2</sup>		15.2	sr	18.7			
Behaviours	7 Smoking attributable deaths <sup>2</sup>	n/a		%	24.1			
	8 Smoking prevalence <sup>3</sup>	n/a		%	25.0			
	9 Patients hospitalised with alcohol conditions <sup>2</sup>	132	1,167	sr	1,088			
	10 Deaths from alcohol conditions <sup>1</sup>	n/a		sr	46.4			
	11 Patients hospitalised with drug related conditions <sup>2</sup>		51.7	sr	85.1			
	12 Active travel to work <sup>3</sup>	n/a		%	14.0			
Ill Health & Injury	13 Sporting participation <sup>3</sup>	n/a		%	73.0			
	14 Patients registered with cancer <sup>1</sup>	113	449.9	sr	412.6			
	15 Patients hospitalised with COPD <sup>2</sup>	25	169.9	sr	158.6			
	16 Patients hospitalised with coronary heart disease <sup>2</sup>	37	239.9	sr	347.0			
	17 Patients hospitalised with cerebrovascular disease <sup>2</sup>	21	131.5	sr	173.8			
	18 Patients hospitalised with asthma <sup>2</sup>	30	255.3	sr	472.9			
Mental Health	19 Patients hospitalised as an emergency <sup>2</sup>	799	7,245.8	sr	6,378.9			
	20 Patients (65+) with multiple hospitalisations <sup>2</sup>	87	4,325.4	sr	4,607.6			
	21 Road traffic accident casualties <sup>2</sup>	10	101.2	sr	79.4			
	22 Patients hospitalised after a fall in the home (65+) <sup>2</sup>	33	1,298.8	sr	710.4			
	23 Prevalence of diabetes	170	3.6	sr2	3.5			
	24 Patients prescribed drugs for anxiety/depression/psychosis	402	12.0	%	9.7			
Social Care & Housing	25 Patients with a psychiatric hospitalisation <sup>2</sup>	53	460.3	sr	303.0			
	26 Deaths from suicide <sup>1</sup>		18.5	sr	15.1			
	27 People (65+) receiving free personal care at home <sup>3</sup>	n/a		%	5.3			
	28 Adults claiming incapacity benefit/severe disability allowance	175	6.7	%	5.6			
	29 People (65+) with intensive care needs cared for at home <sup>3</sup>	n/a		%	31.7			
	30 Households assessed as homeless <sup>3</sup>	n/a		%	1.8			
Education	31 Children looked after by local authority <sup>3</sup>	n/a		cr2	14			
	32 Single adult dwellings	652	41.1	%	37.8			
	33 Households in extreme fuel poverty <sup>3</sup>	n/a		%	7.5			
	34 Average tariff score of all pupils on the S4 roll	n/a	129.8	mean	179.7			
	35 Primary school attendance	n/a	95.8	%	95.2			
	36 Secondary school attendance	n/a	89.4	%	91.1			
Economy	37 Working age adults with low or no educational qualifications <sup>3</sup>	n/a		%	14.8			
	38 Population income deprived	625	19.4	%	15.1			
	39 Working age population employment deprived	245	13.0	%	11.6			
	40 Working age population claiming Jobseeker's Allowance	95	5.3	%	4.4			
	41 Dependence on out of work benefits or child tax credit	450	63.1	%	46.6			
	42 People claiming pension credits (aged 60+)	135	14.8	%	11.0			
Crime	43 Crime rate	230	71.4	cr2	49.5			
	44 Prisoner population		148.2	sr	205.5			
	45 Referrals to Children's Reporter for violence-related offences	n/a		cr2	8.4			
	46 Patients hospitalised after an assault <sup>2</sup>	10	142.5	sr	95.2			
	47 Population within 500 metres of derelict site	2,579	82.3	%	30.0			
	48 People living in 15% most 'access deprived' areas	0	0.0	%	14.2			
Environment	49 Adults rating neighbourhood as a very good place to live <sup>3</sup>	n/a		%	52.0			
	50 Breast screening uptake <sup>2</sup>	381	79.9	%	75.3			
	51 Mothers smoking during pregnancy <sup>2</sup>	32	32.0	%	22.6			
	52 Teenage pregnancies <sup>2</sup>			cr2	41.4			
	53 Low weight live births <sup>2</sup>			%	2.3			
	54 Babies exclusively breastfed at 6-8 weeks <sup>2</sup>	19	20.0	%	26.4			
Women's & Children's Health	55 Immunisation uptake at 24 months - MMR <sup>2</sup>	88	93.6	%	92.1			
	56 Immunisation uptake at 24 months - all excluding MMR <sup>2</sup>	93	98.9	%	97.5			
	57 Child dental health in primary 1	27	69.2	%	61.8			
	58 Child obesity in primary 1	n/a		%	8.0			
	59 Patients hospitalised by unintentional injuries at home (<15) <sup>2</sup>		348.3	sr	377.5			

## Notes:

1. Five-year combined number, and 5-year average annual measure.
2. Three-year combined number, and 3-year average annual measure.
3. Data available down to local authority level only.

## Key:

n/a= data not available, or cannot be calculated; cr = crude rate per 100,000 population; cr2 = crude rate per 1,000 population; sr = age-sex standardised rate per 100,000 population; sr2 = age-sex standardised rate per 100 population yrs = years; % = percent; mean = average.

See the detailed Definitions and Sources table for indicator information and Technical Report (on the web) for further guidance on interpreting the spine.





# Definitions and Sources

NB: more details on methodology and definitions are available in our technical report , available on the ScotPHO website at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles).

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
1 – 2	Life expectancy	Estimated average male and female life expectancy at birth in years (using Chiang (II) method).*	1994-98 to 2003-07	GROS
3 - 6	Deaths	Deaths from all causes (all ages), coronary heart disease, cancer and cerebrovascular disease (under 75s); 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	GROS
7	Smoking attributable deaths	Deaths from smoking related and attributable causes: 3-year total number and 3-year average percentage (denominator is all deaths).*	2007-09	GROS
8	Smoking prevalence	Random adult respondents to the Scottish Household Survey, answering yes to the question "Do you smoke cigarettes nowadays?". The denominator is the total number of random adults answering this question (from the relevant council area).	2007/08	SHoS (question RG19YN)
9	Patients hospitalised with alcohol conditions	Patients discharged from hospital (annually) with alcohol related and attributable conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
10	Deaths from alcohol conditions	Deaths from alcohol related and attributable conditions: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.*	2005-09	GROS
11	Patients hospitalised with drug related conditions	Patients discharged from hospital (annually) with drug related conditions: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.*	2007-09	ISD Scotland (SMR1/01, Linked Database)
12	Active travel to work	Number and percentage of adults travelling to work by either cycling or walking. The denominator is all adults travelling to work.*	2007/08	SHoS (question RD3)
13	Sporting participation	Number and percentage of adults participating in sporting activity.*	2007/08	SHoS (question SPRT3a)
14	Patients registered with cancer	Patients newly diagnosed with cancer: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2003-07	ISD Scotland, Scottish Cancer Registry (SMR06)
15 – 20	Hospitalised patients	Patients discharged from hospital (annually) with specific conditions (COPD, coronary heart disease, cerebrovascular disease, asthma) or in particular circumstances (emergency admissions, multiple admissions in 65+ age group), expressed as 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	1997-99 to 2007-09	ISD Scotland (SMR1/01, Linked Database)
21	Road traffic accident casualties	Patients discharged from hospital or died as a result of a road traffic accident: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database) or GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
22	Patients hospitalised after a fall in the home (65+)	Patients aged 65+ years discharged from hospital (annually) after an emergency admission resulting from a fall in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)
23	Prevalence of diabetes	Patients registered with diabetes mellitus (all types), expressed as directly age-sex standardised rate per 100 population.	2010 (snapshot as at 16 <sup>th</sup> March)	SCI-DC
24	Patients prescribed drugs for anxiety/depression/psychosis	Estimated number and percentage of population being prescribed drugs for anxiety, depression or psychosis.	2009	ISD Scotland (Prescribing Information System), CHI extract
25	Patients with a psychiatric hospitalisation	Patients discharged from psychiatric hospitals (annually): 3-year total number and 3-year directly age-sex standardised rate per 100,000 population per year.	2006-08	ISD Scotland (SMR04)
26	Deaths from suicide	Deaths from suicide and undetermined intent: 5-year total number and 5-year average directly age-sex standardised rate per 100,000 population per year.	2005-09	GROS
27	People (65+) receiving free personal care at home	Number and percentage of people aged 65+ who receive free personal care services at home. In the spine chart this indicator is assigned to 'worse' if proportion is below the Scottish average.	2009/10 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
28	Adults claiming incapacity benefit/severe disability allowance	Number and percentage of all adults aged 16+ claiming incapacity benefit/severe disability allowance (SDA).	2010 (Quarter ending February)	DWP
29	People (65+) with intensive care needs cared for at home	<p>Number and percentage of people aged 65+ with intensive care needs who receive 10+ hours of home care per week.</p> <p>'People aged 65+ with intensive care needs' is defined as those: Receiving 10+ hours of home care (purchased or provided by a local authority) per week/Resident in a Care Home/Resident long-term in an NHS hospital.</p> <p>In the spine chart this indicator is assigned to 'worse' if percentage is below the Scottish average.</p>	2008/09 (year ending 31 <sup>st</sup> March)	SG- Community Care Statistics
30	Households assessed as homeless	Households categorised as homeless (based on applications to local authorities under the Homeless Persons Legislation) - number and percentage of all households.	2008/09 (year ending 31 <sup>st</sup> March)	SG – Housing Statistics
31	Children looked after by local authority	Number of children looked after by local authority (0-18 years): Number and crude rate per 1,000 population 0-18 years.	2009	SG
32	Single adult dwellings	Number and percentage of dwellings subject to a Council Tax discount of 25 per cent. This may include, for example, dwellings with a single adult, dwellings with one adult living with one or more children, or with one or more adults who are 'disregarded' for Council Tax purposes.	2009	GROS

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
33	Households in extreme fuel poverty	Percentage of all households that suffer 'extreme fuel poverty': defined as having to spend over 20% of household income on fuel (4-year average).	2005-08	SHCS
34	Average tariff score of all pupils on the S4 roll	Average tariff score (pupil attainment) of all pupils enrolled in fourth year of secondary school (S4) of publicly funded secondary schools.*	2003/04 to 2008/09 (school year)	SNS/SG
35 – 36	School attendance	Primary and Secondary school attendance rate – number attending and percentage of all pupils (based on pupil's area of residence).	2008/09 (school year)	SG (via SNS)
37	Working age adults with low or no educational qualifications	Number and percentage of all working age adults (16-64 years(male), 16-59 (female)) who have with no qualifications or qualifications at SCQF level 4 or lower.	2008	APS (via SNS)
38	Population income deprived	Adults defined as 'income deprived' expressed as a number and percentage of the total population.	2008	SIMD 2009, SG
39	Working age population employment deprived	Adults defined as 'employment deprived' expressed as a number and percentage of the working age population (16-64 years(male), 16-59 (female)).	2008	SIMD 2009, SG
40	Working age population claiming Jobseeker's allowance	Population of working age in receipt of JSA: number and percentage of total working age population (16-64 years(male), 16-59 (female)).	2000 to 2010 (Quarter ending February)	DWP
41	Dependence on out of work benefits or child tax credit	Number and percentage of children living in households that are dependent on out of work benefit OR where child tax credit is more than the family element.	2008 (snapshot as at 31 <sup>st</sup> August)	HMRC
42	People claiming pension credits (aged 60+)	Number and percentage of population aged 60+ claiming guaranteed and savings element pension credit.	2010 (Quarter ending February)	DWP
43	Crime rate	Number of crimes (based on SIMD crimes of violence; drug offences; domestic house breaking; minor assault; and vandalism) and rate per 1,000 population per year.	2007/08 (year ending 31 <sup>st</sup> March)	SIMD 2009, SG
44	Prisoner population	Prisoner population (16+ years) on 30 <sup>th</sup> June based on prisoners home address: total number imprisoned and directly age standardised rate per 100,000 population.	30 <sup>th</sup> June 2008 snapshot	SPS
45	Referrals to Children's Reporter for violence-related offences	Number of children referred to the Scottish Children's Reporter Administration for violence related offences (8-15 years): Number and crude rate per 1,000 population 8-15 years. *	2009/10 (year ending 31 <sup>st</sup> March)	SCRA
46	Patients hospitalised after an assault	Number of patients discharged from hospital (annually) following an admission for assault: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year. *	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).



# Definitions and Sources

Indicator No.	Description	Definition	Time Period	Source <sup>1</sup>
47	Population within 500 metres of a derelict site	Number and percentage of total population living within 500 metres of a derelict site.	2009	SVDLS/SNS
48	People living in 15% most 'access deprived' areas	Number and percentage of total population living in 15% most 'access deprived' areas (data zones) in Scotland.	2008	SIMD 2009, SG
49	Adults rating neighborhood as 'very good place to live'	Percentage of all adults surveyed who rated their neighbourhood 'a very good place to live'.	2007/08	SHoS (question RB1)
50	Breast screening uptake	Breast screening uptake for all eligible women aged 50–70 (routine appointments): 3-year total number and 3-year average percentage.	2006-08	SBSP
51	Mothers smoking during pregnancy	Women recorded as a 'current smoker' at antenatal booking appointment: 3-year total number and 3-year average percentage.  Denominator: All women with a known smoking status at booking (those with a smoking status of 'unknown' have been excluded)	2006-08	ISD Scotland (SMR02)
52	Teenage pregnancies	Teenage (<18 years) pregnancies: 3-year total number and 3-year average crude rate per 1,000 females aged 15-17.*	2006-08	GROS and Notifications of Abortions to the Chief Medical Officer for Scotland
53	Low weight live births	Low weight (<2,500g) live full-term singleton births: 3-year total number and 3-year average percentage of all live singleton births.	2006-08	ISD Scotland (SMR02)
54	Babies exclusively breastfed at 6-8 weeks	Number of babies reported by parent as being exclusively breastfed at 6-8 week review: 3-year total number and 3-year average percentage.  Denominator: total number of babies receiving a 6-8 week review. Data not available for all areas*	2006-08	CHSP-PS
55 – 56	Immunisation uptake	Immunisation uptake at 24 months for Diphtheria, Pertussis, Tetanus, Polio, Hib, and - separately - MMR (measles, mumps and rubella): 3-year total number and 3-year average percentage of children of this age.	2006-08	SIRS
57	Child dental health in primary 1	Primary 1 children receiving a 'Category C' letter from Basic Inspection ("No obvious decay experience, but child should continue to see the family dentist on a regular basis.") – number and percentage of all children inspected.	2008/09 (school year)	NDIP Basic Inspection
58	Child obesity in primary 1	Primary 1 children whose BMI is within the top 5% of the 1990 UK reference range for their age and sex – number and percentage of all children reviewed. Data not available for all areas*	2008/09 (school year)	CHSP-S
59	Patients hospitalised by unintentional injuries at home (<15)	Number of patients aged under 15 discharged from hospital (annually) after an emergency admission due to an accident in the home: 3-year total number and 3-year average directly age-sex standardised rate per 100,000 population per year.	2007-09	ISD Scotland (SMR1/01, Linked Database)

\*see technical report (at [www.scotpho.org.uk/profiles](http://www.scotpho.org.uk/profiles)) for more detail

<sup>1</sup> In some cases this indicates the source of original raw datasets, with that data then manipulated by ISD to calculate required measures (e.g. life expectancy at birth, age-sex standardized mortality rates).





# Further information

## Abbreviations

APS:	Annual Population Survey
BMI:	Body Mass Index
CHI:	Community Health Index
CHSP-PS:	Child Health Systems Programme – Pre-school Children
CHSP-S:	Child Health Systems Programme – School aged Children
COPD:	Chronic obstructive pulmonary disease
DWP:	Department for Work and Pensions
GROS:	General Register Office for Scotland
ISD:	Information Services Division (of NHS Scotland)
NDIP:	National Dental Inspection Programme
ROS:	Registers of Scotland
SBSP:	Scottish Breast Screening Programme
SCI-DC:	Scottish Care Information - Diabetes Collaboration
SCRA:	Scottish Children's Reporter Administration
SDA:	Severe Disability Allowance
SG:	Scottish Government
SHCS:	Scottish House Condition Survey
SHoS:	Scottish Household Survey
SIMD2009:	Scottish Index of Multiple Deprivation 2009
SIRS:	Scottish Immunisation Recall System
SMR01/02/04:	Scottish Morbidity Records
SNS:	Scottish Neighbourhood Statistics
SPS:	Scottish Prison Service
SVDLS	Scottish Vacant and Derelict Land Survey

## Additional Profiles Products:

- Scotland level report
- Technical report
- Sub-CHP Excel workbooks
- Spine chart packs (small area (intermediate geography) spines by CHP)

## Acknowledgements:

Members of the ScotPHO team who were involved with the production of these profiles: Andrew Gasiorowski, Dr Diane Stockton, Dr Colin Fischbacher, Dr Alison Burlison, Dariusz Blaszcak, Dr James Reid, Ian Grant, Linsey Galbraith, Garry Hecht, Richard Lawder, Iona Child, Dr Rory Mitchell, Elaine Tod and Dr Gerry McCartney.

Everyone who provided data for inclusion in the profiles.

Members of the Profiles Project Board.

Everyone who took part in the profiles consultations, and/or provided comment on the draft profiles.

Dataworx Ltd for profile production automation.

For further information on this profile and the wider Health and Wellbeing Profiles Project please contact:

### ISD ScotPHO Team :

email: [scotpho@nhs.net](mailto:scotpho@nhs.net)

fax: 0131 275 7511

### Andrew Gasiorowski :

email: [andrew.gasiorowski@nhs.net](mailto:andrew.gasiorowski@nhs.net)

tel: 0141 282 2143

### Dr Diane Stockton:

email: [diane.stockton@nhs.net](mailto:diane.stockton@nhs.net)

tel: 0131 275 6817

### Dataworx:

#### Adrian Watson

email: [adrian@dataworx-solutions.co.uk](mailto:adrian@dataworx-solutions.co.uk)

Published by:

ScotPHO (Scottish Public Health Observatory) Team  
Information Services Division (ISD) Scotland  
Gyle Square  
1 South Gyle Crescent  
EDINBURGH  
EH12 9EB